



INTERSTAR





Move with confidence

Robust, reliable and effortlessly practical. The new Nissan Interstar keeps you one step ahead whatever the task. With a wide range of derivatives available, make yours the perfect tool for the job.



Key performance indicator

FRONT OR REAR WHEEL DRIVE

Select the drivetrain to best suit your enterprise. Choose FWD for easy loading, more load space and better fuel economy or opt for RWD more secure handling with heavier loads or when towing.

TWIN TURBO ENGINE*

Power & efficiency. Interstar's 2.3L dCi Twin Turbo delivers higher output and reduced fuel consumption and lower CO₂ emissions. Low costs of ownership. Service intervals of up to 40,000km or every 2 years contribute to Interstar's low running costs.



NEW NISSAN INTERSTAR CAN HANDLE IT

Benefit from maximum load space with 10 available cargo volumes, up to 4.4m in cargo length and payloads up to 1587kg (for Van) or up to 1,846kg (for Platform Cab)



Up to 4.4m
Cargo length



Up to 1587kg
Payload



Up to 17m³
Cargo volume



Up to 22m³
Cargo volume

* RBU to add consumption & CO₂ emissions

BUILT FOR YOUR LINE OF WORK

With a wide range of conversions available, make new Nissan Interstar the perfect tool for your business. Choose from an array of body types, sizes, wheelbases and payload capacities, and create the ideal van for your business' needs.



HELPFUL TECHNOLOGY

Enjoy an easier drive thanks to Nissan's advanced technology. Useful and simple to operate, it's designed to enhance your experience on the road.

- Climate Control**
- Cruise Control & Speed Limiter**
- Front and Rear Parking Sensors and Camera**
- NissanConnect**
- Auto High Beam**
- Lane Departure Warning**
- Android Auto and Apple CarPlay**

**Features available depending on version, as standard or only as option (at an extra charge)



Create the perfect match

Unbeatable potential. New Nissan Interstar offers one of the widest ranges in the LCV market. A choice of wheelbase, length and height, payload, engines, front or rear wheel drive plus body conversions provides all the possibilities you need to create your perfect match.



A place for everything

Unbeatable potential. New Nissan Interstar offers a wide range to choose from the LCV market. A choice of wheelbase, length and height, payload, engines, front or rear wheel drive plus body conversions provides all the possibilities you need to create your perfect match*.



- A Cup and can holder*
- B Rotating centre front seat table*
- C Assistant dashboard compartment*
- D Dual split underseat storage compartment*
- E Sliding tray*

*Features available depending on version, as standard or only as option (at an extra charge)

New Nissan Interstar can take it

More usable space. Whichever size Interstar you choose, it's packaged to provide maximum load space. There are ten cargo volumes, from 8m³ to 17m³ for Interstar Panel Vans. Cargo volume can take up to 5 Europallets, and there's up to 4.4m cargo length available, giving you room for bulky loads. New Nissan Interstar handles heavy loads too: payloads up to 1587kg (for Van) or up to 1,846kg (for Platform Cab).

No matter how big or awkward your cargo, Interstar makes it easier to get on board, thanks to a low floor and large, wide-opening doors.

From 2.6m
to 4.4m
cargo length


From 901kg
to 1587kg
payload

From 8m³
to 17m³
cargo volume



Roomy and refined

Space with style. New Nissan Interstar Combi offers executive standards of comfort and space for up to nine persons. The interior is light and inviting, with more than 65cm legroom, reclining seats for the second and third row and air conditioning. There's also the reassurance of comprehensive safety features, including ABS with EBD, ESP and airbags.



Removable seats for the 2nd and 3rd row make combi especially versatile. To help your passengers relax, there are seat backs that recline up to 20° and individual ventilation.





Front or rear wheel drive

Best for your business. New Nissan Interstar gives you the choice of front or rear wheel drivetrains, across a variety of body styles.



FRONT WHEEL DRIVE

Front wheel drive new Nissan Interstar has a low chassis height, making loading especially easy and liberating more space for improved efficiency. Low kerb weight contributes to better fuel economy too.



REAR WHEEL DRIVE

Rear wheel drive is the traditional choice for medium and heavy duty applications. It allows your payload to be evenly distributed front to back, ensuring more secure handling when fully loaded. Available with single or twin rear wheel configurations, new Nissan Interstar rear wheel drive is ideal for towing up to 3000 Kg.



Higher output, lower consumption, reduced emissions

More powerful, more efficient. The new Nissan Interstar's 2.3 litre dCi Twin Turbo engine is available in 110HP, 135HP, 150HP, 180HP with Euro6D-Full and in 130HP, 145HP and 165HP with EuroVIe. All delivering outstanding performance with great fuel economy (from 8.3L/100km on 150HP FWD WLTP). All engines are EURO 6D compliant featuring a selective catalytic reduction (SCR) system to further reduce emissions. Low running costs. Service intervals of up to 40 000 km or every two years contribute to Interstar's impressively low Total Cost of Ownership.

Always be in the optimum gear. The new Nissan Interstar has a six-speed manual gearbox with a dashboard indicator light showing when to change gear for the best fuel economy. If you want to give your left foot a rest, a semi-automatic transmission is available with the 150HP or 180HP engines.



Euro 6D compliant
2.3 Litre dci turbodiesel



Six-speed manual
gearbox



Gear shift indicator

RBU to add fuel consumption & CO₂ emissions

Eyes all round

Front and rear parking sensors* are just one of many intelligent driving assistance systems available on the new Nissan Interstar. While manoeuvring at low speed, the system detects objects in your path, both front and rear, and warns you as you get closer to them.



Rear view camera*



Rear View Camera with display in mirror*



Blind spot mirror



Driver and passenger airbags



LANE DEPARTURE WARNING*
Lane Departure Warning provides an alert to the driver if they are beginning to leave the traveling lane. The system visually monitors the left and right side lane markers of the traveling lane. If there is a risk of the vehicle leaving the traveling lane unintended, the system flashes an indicator and sounds a warning chime.



BLIND SPOT WARNING*
Assists the driver to avoid a collision by detecting vehicles in the blind spot area when changing lanes. When the system detects a vehicle driving in an adjacent lane approaching the rear of the driver's vehicle - a common blind spot area, it notifies the driver with an indicator.



AUTO HIGH BEAM*
Automatically switches headlights to low beam from high beam and back to reduce driving burden. This system automatically switches the headlights setting to low beam from high beam when it detects a vehicle ahead. Frequent usage of high beams allows for earlier detection of pedestrians, supporting safer driving.



SIDE WIND ASSIST*
Side wind assist technology detects sway caused by gusts of wind from the side when the vehicle is driving in a straight line and limits the side movement by correcting the trajectory.



HILL START ASSIST*
Assisting starting off on a slope. This technology allows drivers to change pedals easily from the brake to the accelerator and carry out a safer hill start.



INTELLIGENT TRACE CONTROL*
It automatically stabilises the vehicle by applying braking to each wheel individually and reducing engine torque if necessary. It uses sensors to measure the turning speed of the wheels, the steering angle and the rotation of the vehicle around the vertical axis.



* Features available depending on version, as standard or only as option (at an extra charge)

You should not rely solely on driver convenience features. Some features may not work in all conditions and circumstances. Speed and other limitations apply. For terms and conditions relating to Nissan technologies, please contact your Nissan dealer or www.nissan.xx/

Easier driving. Helpful technology.

Nissan's approach to innovation is to take the most advanced and useful features and make them more accessible to everyone. Our technology is simple to operate, so driving becomes safer and more enjoyable. Optional digital radio improves the sound quality and enhances the listening experience.



Nissanconnect:
7 inch touch screen*



Digital radio (DAB) tuner and
MP3, bluetooth hands-free
telephone*



Usb 2.0 Socket*



Climate control*



Cruise control and speed
limiter*



Front foglamps*



Automatic headlights turn on
in low light and darkness*




Central door locking with
keyless entry*

androidauto

Works with
Apple CarPlay

* Features available depending on version, as standard or only as option (at an extra charge)



Adapt new Nissan Interstar to fit your working day

You know what's best for your business. That's why we offer a range of practical options for you to tailor new Nissan Interstar precisely to your needs. Whatever your working day entails, new Nissan Interstar will be ready for it.



A
Full steel bulkhead*

B
Full steel bulkhead with glazed panel*

C
Driver's side meshed bulkhead*

D
Locking differential*

E
Rear step*

F
Towbar with ball and socket joint*

G
Power take-off from engine and gearbox*

* Features available depending on version, as standard or only as option (at an extra charge)

Conversion, new Nissan Interstar lineup Ready for business

Thanks to the low and robust chassis, new Nissan Interstar is the ideal basis for a wide range of conversions. Nissan is always seeking ways to help you drive your business forward, that's why we have developed Business Ready solutions. NISSAN BRANDED CONVERSIONS are off-the-shelf bodies designed by Nissan and covered by our 5 year warranty. You can benefit from best lead times since you won't need to contact any Body builder yourself. Whether you need a Dropside, a Tipper, a Box or a Crew Van, your Business Ready Manager at your nearest Nissan dealer will see your order through, from selection to delivery to ongoing maintenance. Easy-to-order: having one point of contact makes life simple, easier and saves your precious time. If you want to tailor the New Nissan Interstar to your individual requirements you can consult our Nissan dealer for our vast conversion offer performed by one of Nissan's Certified Partner Body builders.



CREW VAN

TIPPER

DROPSIDE

BOX



5 Year / 160,000 km (whichever comes first) Manufacturer Warranty for the whole LCV range, including Nissan branded conversion models.



Added value

Customise your Nissan Interstar. From seat covers, protective mats and mudguards to useful additions like a ladder, towbar or roof rack and walkway, Genuine Nissan Accessories make life easier. We also offer safety features like rear view camera.



TRANSPORT

- 1 - Ladder
- 2 - Flanged towbar with tek 7 or 13 pins and with hook and ball (also available with coupling hook or coupling jaw pin ball)
- 3 - Cross bars
- 4 - Roof rack and walkway

COMFORT AND PROTECTION

- 5 - Protection grill
- 6 - Textile or rubber mats
- 7 - Mudguards
- 8 - Seat covers



COLOURS



Star Grey (M)
KNH



Blue Grey (M)
J47



Black (M)
Z11



Urban Grey (S)
GRU



Volga Blue (S)
VBL



Red (S)
Z52



Mineral White (S)
QNG

M: METALLIC
S: SOLID

TRIMS



Dark Grey
Standard and entry grades



Grey
Simili leather as an option



WHEELS



Mini wheel covers



Small wheel covers



Large wheel covers



16" alloy wheels

Front wheel drive panel van

Front wheel drive new Nissan Instar delivers what your business needs: greater efficiency. A lower kerb weight helps improve fuel economy, reducing your running costs. The low frame height makes loading easier and means there's more space inside, for a bigger payload. It's the Van that gives you more, but demands less.

WEIGHTS AND LOADS

	Max. cargo volume (m ³)	Max. payload (kg)		
		2.8t	3.3t	3.5t
L1H1	7,75	901	1396	1587
L1H2	8,63	883	1378	1570
Max. weight on front / rear axle		1850 / 1650	1850 / 2100	1850 / 2100
Braked / unbraked trailer capacity		2500 / 750		

	Max. cargo volume (m ³)	Max. payload (kg)	
		3.3t	3.5t
L2H2	10,31	1322	1522
L2H3	11,67	1296	1496
Max. weight on front / rear axle		1650 / 1900	1850 / 2100
Braked / unbraked trailer capacity		2500 / 750	

	Max. cargo volume (m ³)	Max. payload (kg)
		3.5t
L3H2	12,48	1432
L3H3	14,13	1423
Max. weight on front / rear axle		1850 / 2100
Braked / unbraked trailer capacity		2500 / 750

DIMENSIONS (mm)

	L1H1	L1H2	L2H2	L2H3	L3H2	L3H3
Min. turning circle between kerbs / walls	12 / 12.5m	13.6 / 14.1m	15.7 / 16.2m			

CARGO AREA



Cargo length on floor (A)	2583	2583	3083	3083	3733	3733
Cargo length at 1.1m above floor	2530	2530	3030	3030	3680	3680
Cargo width (B)	1765	1765	1765	1765	1765	1765
Width between wheelarches (C)	1380	1380	1380	1380	1380	1380
Cargo height	1700	1894	1894	2144	1894	2144
Min. / max. loading sill height	546 / 564	544 / 563	545 / 562	543 / 556	543 / 557	542 / 555

SLIDING DOORS

Sliding door width	1050	1050	1270	1270	1270	1270
Sliding door height	1581	1780	1780	1780	1780	1780

REAR DOOR

Rear door width at 169mm above floor	1580	1580	1580	1580	1580	1580
Rear door height	1627	1820	1820	1820	1820	1820



Rear wheel drive panel van

Rear wheel drive new Nissan Instar offers practical versatility, with the capacity and strength to handle all your medium duty carrying applications. Its Rear Wheel Drive layout creates optimum front-to-rear balance, for better payload distribution. It also ensures surefooted and stable driving characteristics when fully loaded, and makes it ideally suited for towing.

WEIGHTS AND LOADS

	Max. cargo volume (m ³)	Max. payload (kg)	
		3.5t SRT	3.5t DRT
L3H2	11,85	1207	1151
L3H3	13,49	1189	1128
Max. weight on front / rear axle		1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity		2500 / 750	3000 / 750

	Max. cargo volume (m ³)	Max. payload (kg)	
		3.5t SRT	3.5t DRT
L4H2	14,9 (SRT) / 13,91 (DRT)	1207	1111
L4H3	170 (SRT) / 15,85 (DRT)	1160	1040
Max. weight on front / rear axle		1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity		2500 / 750	3000 / 750

DIMENSIONS (mm)

	L3H2 SRT	L3H2 DRT	L3H3 SRT	L3H3 DRT	L4H2 DRT	L4H3 DRT
Min. turning circle between kerbs / walls	12.4	14.2	14.9	17		
	3.5t	4.5t	3.5t	4.5t	3.5t/4.5t	

Max. Turning circle (Wall to wall)	m	14.1	14.1	14.1	16.2	16.2
Min. Turning Circle (Kerb to Kerb)	m	13.6	13.6	13.6	15.7	15.7

CARGO AREA	L3H2 SRT	L3H2 DRT	L3H3 SRT	L3H3 DRT	L4H2 DRT	L4H3 DRT
Cargo length on floor (A)	3733	3733	3733	3733	4383	4383
Cargo length at 1.1m above floor	3680	3680	3680	3680	4330	4330
Cargo width (B)	1765	1765	1765	1765	1765	1765
Width between wheelarches (C)	1380	1080	1380	1080	1080	1080
Cargo height	1798	1798	2048	2048	1798	2048
Min. / max. loading sill height	674 / 696	706 / 724	672 / 694	704 / 723	701 / 717	700 / 715
SLIDING DOORS						
Sliding door width	1270	1270	1270	1270	1270	1270
Sliding door height	1684	1684	1684	1684	1684	1684
REAR DOOR						
Rear door width at 169mm above floor	1580	1580	1580	1580	1580	1580
Rear door height	1724	1724	1724	1724	1724	1724

- SRT: Single Rear Tyres
 - DRT: Double Rear Tyres



Combi

Smart, inviting and adaptable, new Nissan Interstar Combi carries up to nine people in car-like comfort, or a combination of six people plus greater load space. All occupants enjoy space, comfort and the reassurance of a comprehensive range of active and passive safety features. COMBI 5-6 seats are only available for Euro6DFull ; COMBI 8-9 seats available only with EuroVIe.


WEIGHTS AND LOADS (kg)

	LIH1		L2H2	
	5/6		5-6 seats	
	3.3T	3.3T	3.5T	
Max Payload	1189	1141	1333	
Max Weight on front/rear axle	1850 / 2100	1650 / 2100	1850 / 2100	
Kerb weight (without driver)	2111	2159	2164	
Braked/unbraked trailer capacity	2500 / 750	2500 / 750	2500 / 750	

DIMENSIONS (mm)

	LIH1	L2H2
Min. turning circle between kerbs / walls	12 / 12.5m	13.6 / 14.1m
CARGO AREA		
Length for 6/9 seats	1757 / 948	2257 / 1448
Max. width	1765	1765
Max. loading height	1700	1894
Width between wheelarches	1380	1380
Min. / max. loading sill height	546 / 560	544/559* 547 / 563**
Approx. load volume 6/9 seats	5.3m ³ / 2.8m ³	7.5m ³ / 4.8m ³
SLIDING DOORS		
Sliding door height	1581	1780
Sliding door width	1050	1270
REAR DOOR		
Rear door height	1627	1820
Rear door width	1580	1580

* for 3.3t Gross Vehicle Weight
** for 3.5t Gross Vehicle Weight



Platform cab

With its very low loading sill and over 7m of buildable overall length, new Nissan Interstar Platform Cab has impressive potential as the perfect base for a vast array of conversions, such as ambulance, catering vehicle or mobile shop.


WEIGHTS AND LOADS (kg)

	FWD WITH GVW* OF 3.5T			
	L2H1	L2H2	L3H1	L3H2
Max. payload	1846	1833	1825	1806
Max. weight on front / rear axle	1850 / 2100			
Braked / unbraked trailer capacity	2500/750			

DIMENSIONS (mm)

	L2H1	L2H2	L3H1	L3H2
Min. turning circle between kerbs / walls	13.6 / 14.1m	13.6 / 14.1m	15.7 / 16.2m	15.7 / 16.2m
Max. buildable length	5751	5790	7021	7071
Min. / max. overall length	3069 / 3291	3069 / 3330	3719 / 4561	3719 / 4610
Max. buildable extension of rear overhang	1227	1266	1847	1897
Min. / max. ground clearance	581 / 585	581 / 584	579 / 583	579 / 583
Buildable width including standard / extended door mirrors arms	2350	2170 / 2350	2170 / 2350	2170 / 2350

* GVW: Gross Vehicle Weight
**With extended door mirror arms



Front wheel drive chassis single/double cab

New Nissan Interstar Chassis Cab offers the flexibility and adaptability to satisfy your exact specifications. Whichever drive train you choose, you benefit from a low chassis floor that provides more usable space for your conversion, within compact and manageable overall dimensions. And the rugged build quality ensures it has the strength to cope with the toughest jobs, all day, every day.

WEIGHTS AND LOADS (kg)

	SINGLE CAB		DOUBLE CAB	
	L2	L3	L2	L3
	3.5T	3.5T	3.5T	3.5T
Max. payload	1739	1718	1554	1546
Max. weight on front / rear axle	1850 / 2100			
Braked / unbraked trailer capacity	2500 / 750			



DIMENSIONS (mm)

	SINGLE CAB		DOUBLE CAB	
	L2	L3	L2	L3
Min. turning circle between kerbs / walls	13.6 / 14.1m	15.7 / 16.2m	13.6 / 14.1m	15.7 / 16.2m
Max. extension of rear overhang	1400	2124	1119	2078
Max. buildable overall length	5924	7298	5643	7252
Min. / max. buildable cargo length	3182 / 3464	3832 / 4838	2432 / 2432	3082 / 4042
Min. / max. ground clearance	735 / 740	736 / 741	727 / 732	731 / 736
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350

- SRT: Single Rear Tyres
- DRT: Double Rear Tyres
*With extended door mirror arms



Rear wheel drive chassis single/double cab

WEIGHTS AND LOADS (kg)



	SINGLE CAB			
	L2		L3	L4
	3.5T SRT	3.5T DRT	3.5T SRT	3.5T DRT
Max. payload	1626	1445	1575	1435
Max. weight on front / rear axle	1850 / 2300	1850 / 2620	1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity	2500 / 750	3000 / 750	2500 / 750	3000 / 750

	DOUBLE CAB		
	L2	L3	L4
	3.5T SRT	3.5T SRT	3.5T DRT
Max. payload	1417	1405	1231
Max. weight on front / rear axle	1850 / 2300		1850 / 2800
Braked / unbraked trailer capacity	3000 / 750		

DIMENSIONS (mm)

	SINGLE CAB				
	L2 SRT	L2 DRT	L3 SRT	L3 DRT	L4 DRT
Min. turning circle between kerbs / walls	13.6 / 14.1m	15.7 / 16.2m	13.6 / 16.2m	13.6 / 14.1m	15.7 / 16.2m
Max. extension of rear overhang	2230	1928	3032	1928	2754
Max. buildable overall length	6754	6452	8206	6452	7928
Min. / max. buildable cargo length	3182 / 4293	3639 / 3991	3832 / 5746	3639 / 3991	4289 / 5468
Min. / max. ground clearance	771 / 774	784 / 787	771 / 775	784 / 787	786 / 789
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350

	DOUBLE CAB			
	L2 SRT	L3 SRT	L3 DRT	L4 DRT
Min. turning circle between kerbs / walls	13.6 / 14.1m	15.7 / 16.2m	13.6 / 14.1m	15.7 / 16.2m
Max. extension of rear overhang	1917	3032	1669	2471
Max. buildable overall length	6441	8206	6193	7645
Min. / max. buildable cargo length	2432 / 3230	3082 / 4996	2889 / 2889	3539 / 4434
Min. / max. ground clearance	760 / 764	765 / 768	775 / 780	778 / 781
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350



- SRT: Single Rear Tyres
- DRT: Double Rear Tyres
*With extended door mirror arms

Crew van

For every team member, it makes business a pleasure: with large window areas and comfortable seats, the new Nissan Interstar Crew Van delivers up to seven people fresh and ready for work and still gives the opportunity to keep enough space in the cargo area.

PAYLOAD AND DIMENSIONS


	FWD						RWD	
	L1H1		L1H2		L2H2		L3H2 SRT	L3H2 DRT
	3.5t	3.5t	3.5t	3.5t	3.5t	3.5t	3.5t	3.5t
Max. payload (kg)	1205	1394	1205	1397	1122	1322	1228	947
Max. cargo volume (m³)	4.59		5.12		6.65		8.83	8.38
Max. weight on front / rear axle (kg)	1850 / 1900	1850 / 2100	1850 / 1900	1850 / 2100	1850 / 1900	1850 / 2100	1850 / 2100	2800 / 3000
Braked / unbraked trailer capacity (kg)	2500 / 750				2500 / 750		2500 / 750	3000 / 750

	FWD				RWD	
	L1H1	L1H2	L2H2	L3H2	L3H2 SRT	L3H2 DRT
CARGO AREA (mm)						
Cargo length at 0.4m above floor	1716	1716	2175	2825	2825	2825
Cargo length at 1m above floor	1531	1531	1990	2640	2640	2640
Cargo width	1765	1765	1765	1765	1765	1765
Width between wheelarches	1380	1380	1380	1380	1380	1080
Cargo height	1700	1894	1894	1894	1798	1798
Min. / max. loading sill height	546 / 564	544 / 563	545 / 562	543 / 557	674 / 696	706 / 724
SLIDING DOORS (mm)						
Sliding door width	1050	1050	1270	1270	1270	1270
Sliding door height	1581	1780	1780	1780	1684	1684
REAR DOORS (mm)						
Rear door width at 169mm above floor	1580	1580	1580	1580	1580	1580
Rear door height	1627	1820	1820	1820	1724	1724

FRONT WHEEL DRIVE



REAR WHEEL DRIVE



Tipper

Built for hard work with no compromise on in-cab comfort, the new Nissan Interstar Tipper is available with a single cab (2/3 seats), with the option of a secure storage compartment for tools, or a roomy double cab (6/7 seats). The load deck tilts automatically at 45° for quick and easy unloading.

PAYLOAD AND DIMENSIONS

	FWD	
	SINGLE CAB	DOUBLE CAB
	L2 SRT	L3 SRT
Max. payload (kg)	1242	1057
Max. weight on front / rear axle (kg)	1850 / 2100	
Braked / unbraked trailer capacity (kg)	2500 / 750	
Cargo length ext. / int. (mm)	3280 / 3205	3280 / 3205
Cargo width (mm)	2100	
Cargo height (mm)	400	

	RWD		
	SINGLE CAB	SINGLE CAB + TOOLBOX	
	L2 SRT	L2 DRT	L3 DRT
Max. payload (kg)	1129	959	845
Max. weight on front / rear axle (kg)	1850 / 2300	1850 / 2800	1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750	3000 / 750	3000 / 750
Cargo length ext. / int. (mm)	3280 / 3205	3180 / 3105	
Cargo width (mm)	2100		
Cargo height (mm)	400		

	RWD	
	DOUBLE CAB	
	L3 SRT	L3 DRT
Max. payload (kg)	908	844
Max. weight on front / rear axle (kg)	1850 / 2500	1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750	3000 / 750
Cargo length ext. / int. (mm)	3280 / 3205	3180 / 3105
Cargo width (mm)	2100	
Cargo height (mm)	400	

FRONT WHEEL DRIVE



REAR WHEEL DRIVE



- FWD: Front wheel driven
- RWD: Rear wheel driven
- SRT: Single Rear Tyres
- DRT: Double Rear Tyres

Dropside

Based on a robust chassis, the new Nissan Interstar Dropside combines a low loading height with fold-down side panels to make light work of even its maximum 3.5 ton Gross Vehicle Weight. Easy, all-round access to the load space makes it easier to handle large, heavy loads, while a choice of single or double cab (2/3 seats or 6/7 seats) further extends its versatility.

PAYLOAD AND DIMENSIONS

	FWD			
	SINGLE CAB		DOUBLE CAB	
	L2 SRT	L3 SRT	L2 SRT	L3 SRT
Max. payload (kg)	1426	1353	1288	1233
Max. weight on front / rear axle (kg)	1850 / 2100			
Braked / unbraked trailer capacity (kg)	2500 / 750			
Cargo length ext. / int. (mm)	3230 / 3170	3900 / 3840	2480 / 2420	3230 / 3170
Cargo width (mm)	2100			
Cargo height (mm)	400			

	RWD				
	SINGLE CAB				
	L2 SRT	L3 SRT	L2 DRT	L3 DRT	L4 DRT
	3.5t	3.5t	3.5t	3.5t	3.5t
Max. payload (kg)	1214	1210	1112	1061	1020
Max. weight on front / rear axle (kg)	1850 / 2300		1850 / 2800	1850 / 2800	1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750		3000 / 750		
Cargo length ext. / int. (mm)	3230 / 3170	3900 / 3840	3230 / 3170	3780 / 3720	4430 / 4370
Cargo width (mm)	2100				
Cargo height (mm)	400				

	RWD			
	DOUBLE CAB			
	L2 SRT	L3 SRT	L3 DRT	L4 DRT
	3.5t	3.5t	3.5t	3.5t
Max. payload (kg)	1151	1092	971	877
Max. weight on front / rear axle (kg)	1850 / 2500		1850 / 2800	
Braked / unbraked trailer capacity (kg)	2500 / 750		3000 / 750	
Cargo length ext. / int. (mm)	2480 / 2420	3230 / 3170	3130 / 3070	3780 / 3720
Cargo width (mm)	2100			
Cargo Height (mm)	400			

FRONT WHEEL DRIVE



L2	1225	3682	842
		5749	
L3	1264	4332	842
		6418	




L2	1225	3682	842
		5749	
L3	1325	4332	842
		6499	


REAR WHEEL DRIVE



L2 SRT	1225	3682	842
		5749	
L3 SRT	1775	3682	842
		6299	
L3 DRT	1264	4332	842
		6418	
L4 SRT	1775	4332	842
		6949	



L2 SRT	1225	3682	842
		5749	
L3 SRT	1874	3682	842
		6398	
L3 DRT	1325	4332	842
		6499	
L4 DRT	1874	4332	842
		7048	



1750 / 1730
2070
2470



1750 / 1612 (DRT)
1750 / 1730 (SRT)
2070
2470

Box

The secure loadcarrier with a choice of capacities, up to 21.6m³ and 4.5m load length. This large, practical space makes the new Nissan Interstar Box ideal for removals or other bulky deliveries.

PAYLOAD AND DIMENSIONS

	FWD		RWD	
	L3 20m ³ 3.5t	L3 SRT 20m ³ 3.5t	L4 DRT 20m ³ 3.5t	L4 DRT 22m ³ 3.5t
Max. payload (kg)	1162	1012	834	848
Max. load (m)	19.4	19.4	20.3	21.7
Max. weight on front / rear axle (kg)	1850 / 2100	1850 / 2300	1850 / 2800	

	FWD / RWD		
	20m ³ L3	20m ³ L4	22m ³ L4
CARGO AREA (mm)			
Cargo length	4100	4300	4580
Cargo width	2150	2150	2150
Cargo height	2200	2200	2200
REAR DOORS (mm)			
Rear door width	2105	2105	2105
Rear door height	2165	2165	2165

FRONT WHEEL DRIVE



H0
3250
L3 (20m³)
1488
4332
6662
842

REAR WHEEL DRIVE



H1
3250
L3 (20m³)
1488
4332
6662
842
L4 (20m³)
1688
6862
842
L4 (22m³)
1968
4332
842
7142



2654



2654

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 160,000 Km bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 12 Year Corrosion Warranty on new Nissan Interstar
- Fully transferable

And with service intervals at 2 years or 40,000km for Diesel engines, you'll not only have 5 years of peace of mind but also low running costs into the bargain.



AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions, it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design vehicles, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.

*5 Year / 160,000 km (whichever comes first) Manufacturer Warranty for the LCV range (with the exception of e-NV200: 5 Year / 100,000 km Manufacturer Warranty for EV system parts, 5 Year / 100,000 km for the rest of the vehicle)

Unlimited mileage for Paintwork, Nissan Genuine Parts & Accessories, Roadside Assistance & Corrosion Warranties.

For more details, please refer to Nissan Warranty Booklet.

CUSTOMER SERVICES



SPECIALISED LCV NETWORK

NISSAN provides a specialised network of LCV dealerships to support your specific commercial vehicle requirements:

- Pan-European coverage
- Dedicated LCV Sales & After Sales staff
- Competitive financing solutions
- Tailor made conversion offers
- Competitive extended warranty offers to go even beyond NISSAN LCV 5 Year Warranty.
- Test drive your choice



AFTERSALES SERVICES

If your car breaks down, it's inconvenient. If your van breaks down, it's a serious blow to your business. Even time allowed for servicing is downtime, when your van isn't earning its keep. At Nissan, we understand these hard business facts. So we do the best to ensure that your van stays where it belongs - working for you, on the road.



NISSAN SERVICE CONTRACTS AND EXTENDED WARRANTY

For total peace of mind and budget control, you can subscribe to a Nissan Service Contract which will cover your periodic maintenance and Wear & Tear parts for the mileage and period that suits your business best. This way, you can ensure that your new Nissan Interstar is serviced by dedicated Nissan technicians. And for even more serenity, you can get an Extended Warranty to cover possible mechanical and electrical breakdown after the end of your new Nissan Interstar warranty.



5 YEAR ROADSIDE ASSISTANCE

- Pan-European coverage for breakdowns, accidents, non-warrantable incidents (such as flat tyres, lost keys, wrong fuel..)
- 24/7, 365 days
- Emergency Call Centre
- Prompt roadside assistance

If this is not possible and your vehicle is still immobilised after a few hours, we will make sure you are provided with a courtesy vehicle as soon as possible or if necessary, overnight accommodation and travel to your onward destination or back to your base. We will also recover your immobilised vehicle.